

## HQSYN16 - Task #3693

Task # 3672 (Assigned): RA1d - Automatic cleaning of speech corpora

Task # 3690 (Closed): Annotation error detection

### Influence of the number of normal examples used for training on detection accuracy

14.01.2016 10:15 - Matoušek Jindřich

<b>Status:</b>	Closed	<b>Start date:</b>	01.02.2016
<b>Priority:</b>	Normal	<b>Due date:</b>	15.03.2016
<b>Assignee:</b>	Matoušek Jindřich	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	8.00 hours
<b>Target version:</b>	RA1: Analysis of artifacts in synthetic speech		
<b>Description</b>			
Find out influence of the number of normal examples used for training on detection accuracy			

#### History

##### #1 - 21.01.2016 17:29 - Matoušek Jindřich

- Status changed from New to Assigned

- % Done changed from 0 to 30

Script preparation

##### #2 - 25.01.2016 08:11 - Matoušek Jindřich

- % Done changed from 30 to 40

##### #3 - 25.01.2016 17:23 - Matoušek Jindřich

- % Done changed from 40 to 50

Experiments with the number of normal examples used in cross validation.

##### #4 - 25.01.2016 17:25 - Matoušek Jindřich

- % Done changed from 50 to 70

Starting experiments with the number of normal examples used for training of single estimators

##### #5 - 12.02.2016 14:49 - Matoušek Jindřich

- Status changed from Assigned to Closed

- % Done changed from 70 to 100

Experiments carried out also for voting detector.